

**In the claims**

1. **(Currently amended)** A therapeutic garment system for use on a mammalian body, comprising:

elasticized wrap-around first and second unitary style garments for donning and releasably securing in a close-fitting fashion at generally different areas of the body;

each of said unitary style garments comprising an outwardly facing surface ~~[[at least]]~~ a substantial portion of which is adapted for accepting an area of releasable fasteners, and an under-layer having an inwardly facing surface to resist slippage when donned; and

~~a plurality of first and second~~ separate elasticized pieces, each of said separate pieces comprising at least one of said areas of releasable fasteners for application of said piece onto ~~[[any]]~~ said portion of said outwardly facing surfaces;

wherein:

said area of releasable fasteners of ~~at least a said~~ first of ~~said~~ elasticized piece~~[[s]]~~ releasably applied against said portion of said outwardly facing surface of said first and second garment, interconnects said first elasticized piece with said first and second garments in an operative therapeutic configuration; and

said second elasticized piece adapted to be releasably applied against said portion of said outwardly facing surface of either said first garment, said second garment, or both said first and second garment.

2. **(Currently amended)** A garment system for use on a mammalian body, comprising:

elasticized wrap-around first and second garments for donning and releasably securing in a close-fitting fashion at generally different areas of the body;

each of said garments comprising an outwardly facing surface at least a portion of which is adapted for accepting an area of releasable fasteners, and an under-layer having an inwardly facing surface to resist slippage when donned;

~~a plurality of first and second~~ separate elasticized pieces, each of said separate pieces comprising at least one of said areas of releasable fasteners for application of said piece onto any said portion of said outwardly facing surfaces;

wherein said area of releasable fasteners of ~~at least a said~~ first of ~~said~~ elasticized piece~~[[s]]~~ releasably applied against said portion of said outwardly facing surface of said

first and second garment, interconnects said first elasticized piece with said first and second garments in an operative therapeutic configuration; and

an elasticized limb garment comprising an under-layer having an inwardly facing surface to resist slippage and sized for wrapping around any portion of a limb of the body selected from the group consisting of an arm, a shoulder, a hand, a leg, a hip, a foot, and a head; and wherein said area of releasable fasteners of ~~[[a]]~~ said second ~~one of said~~ elasticized piece~~[[s]]~~ is releasably applied to an outwardly facing surface of said limb garment and to said portion of said outwardly facing surface of either said first or second garment.

3. **(Original)** The garment system of Claim 2 wherein said elasticized limb garment is selected from the group consisting of: a shoulder wrap, an upper-arm cuff, an elbow cuff, a forearm-area cuff, a wrist wrap, a hand sleeve wrap, an upper-leg cuff, a knee cuff, a shin-calf area cuff, an ankle wrap, a foot wrap, and a head cap; and wherein each said elasticized piece has a shape selected from the group consisting of a generally linear-elongated strap and an at least partially split-strap configuration having a first and second extension.

4. **(Currently amended)** A therapeutic garment system for use on a mammalian body, comprising:

elasticized wrap-around upper-torso and lower-torso garments for donning and releasably securing in a close-fitting fashion;

each of said torso garments comprising an outwardly facing surface adapted for accepting an area of releasable fasteners, and an under-layer having an inwardly facing surface to resist slippage when donned;

~~a plurality of first and second~~ elasticized pieces releasably applied, utilizing said area of releasable fasteners, against said outwardly facing surface of at least one of said torso garments in an operative therapeutic configuration; and

wherein said upper-torso garment further comprises front and back panels releasably secured at each of a shoulder area of said panels and at each of a right and left side of said panels.

5. **(Currently amended)** A garment system for use on a mammalian body, comprising:
- elasticized wrap-around first and second garments for donning and releasably securing in a close-fitting fashion at generally different areas of the body;
  - each of said garments comprising an outwardly facing surface at least a portion of which is adapted for accepting an area of releasable fasteners, and an under-layer having an inwardly facing surface to resist slippage when donned;
  - ~~a plurality of~~ first and second separate elasticized pieces, each of said separate pieces comprising at least one of said areas of releasable fasteners for application of said piece onto any said portion of said outwardly facing surfaces;
  - wherein said area of releasable fasteners of ~~at least a said first of said~~ elasticized piece[s]] releasably applied against said portion of said outwardly facing surface of said first and second garment, interconnects said first elasticized piece with said first and second garments in an operative therapeutic configuration;
  - said second elasticized piece adapted to be releasably applied against any said portion of said outwardly facing surface of either said first garment, said second garment, or both said first and second garment; and
  - wherein: said second garment is a lower-torso garment and further comprises right-side and left-side panels; each said panel comprises a waistband portion having a first and second end, said waistband portion interconnected with a thigh-wrap portion having a lower perimeter, with size-tailoring indicia extending along, in proximity and offset, at least a portion of said lower perimeter; and said first waistband ends are adapted to be releasably secured in the body front, and said second waistband ends are adapted to be releasably secured in the body back.
6. **(Previously presented)** A garment system for use on a mammalian body, comprising:
- elasticized wrap-around first and second garments for donning and releasably securing in a close-fitting fashion at generally different areas of the body;
  - each of said garments comprising an outwardly facing surface at least a portion of which is adapted for accepting an area of releasable fasteners, and an under-layer having an inwardly facing surface to resist slippage when donned;
  - a plurality of separate elasticized pieces, each of said separate pieces comprising at least one of said areas of releasable fasteners for application of said piece onto any said portion of said outwardly facing surfaces;

wherein said area of releasable fasteners of at least a first of said elasticized pieces releasably applied against said portion of said outwardly facing surface of said first and second garment, interconnects said first elasticized piece with said first and second garments in an operative therapeutic configuration; and

a plurality of position markers adapted for application to any of said outwardly facing surfaces for marking a location for re-donning said respective garment once initially fit to the body in said close-fitting fashion; said position markers further adapted for marking said configuration of said elasticized pieces for re-application; and wherein said area of releasable fasteners of a second of said elasticized pieces is releasably applied against said portion of said outwardly facing surface of each said first and second garments, interconnecting said second elasticized piece with said garments.

7. **(Currently amended)** A garment system for use on a mammalian body, comprising:

elasticized wrap-around first and second garments for donning and releasably securing in a close-fitting fashion at generally different areas of the body;

each of said garments comprising an outwardly facing surface at least a portion of which is adapted for accepting an area of releasable fasteners, and an under-layer having an inwardly facing surface to resist slippage when donned;

~~a plurality of first and second~~ separate elasticized pieces, each of said separate pieces comprising at least one of said areas of releasable fasteners for application of said piece onto any said portion of said outwardly facing surfaces;

wherein said area of releasable fasteners of ~~at least a~~ said first of said elasticized piece[s] releasably applied against said portion of said outwardly facing surface of said first and second garment, interconnects said first elasticized piece with said first and second garments in an operative therapeutic configuration; and

wherein ~~at least one of~~ said second elasticized piece[s] comprises an at least partially split-strap configuration having a first and second extension, said area of releasable fasteners of said second split-strap piece is comprised of a first and second region of releasable fasteners, said first extension comprises said first region and said second extension comprises said second region; and said second split-strap ~~elasticized~~ piece is adapted for application to at least one of said outwardly facing surfaces by utilizing said first and second region of releasable fasteners respectively located at each of an end of said first and second extensions.

8. **(Currently amended)** The garment system of Claim 7 further comprising, opposite said first and second extensions, a third and fourth extension, with said area of releasable fasteners of said second split-strap piece further comprising a third and fourth region of releasable fasteners, said third extension comprising said third region and said fourth extension comprising said fourth region; and wherein said second split-strap ~~elasticized~~ piece is further adapted for application to at least one of said outwardly facing surfaces by utilizing said third and fourth region of releasable fasteners respectively located at each of an end of said third and fourth extensions.

9. **(Currently amended)** A garment system for use on a mammalian body, comprising:
- elasticized wrap-around first and second garments for donning and releasably securing in a close-fitting fashion at generally different areas of the body;
  - each of said garments comprising an outwardly facing surface at least a portion of which is adapted for accepting an area of releasable fasteners, and an under-layer having an inwardly facing surface to resist slippage when donned;
  - ~~a plurality of first and second~~ separate elasticized pieces, each of said separate pieces comprising at least one of said areas of releasable fasteners for application of said piece onto any said portion of said outwardly facing surfaces;
  - wherein said area of releasable fasteners of ~~at least a said first of said~~ elasticized piece~~[[s]]~~ releasably applied against said portion of said outwardly facing surface of said first and second garment, interconnects said first elasticized piece with said first and second garments in an operative therapeutic configuration;
  - said second elasticized piece adapted to be releasably applied against any said portion of said outwardly facing surface of either said first garment, said second garment, or both said first and second garment; and
  - the garment system operatively donned in said close-fitting fashion, and wherein: said outwardly facing surface of each said garments comprises a woven fabric; said area of releasable fasteners each comprises an area having tiny flexible hooks for engagement with mating loop fabric; said under-layer comprises a polyether-polyurethane foam lining, and each of said elasticized pieces comprises a foam-lined woven fabric, an outer surface of which is adapted for accepting said area of releasable fasteners of another of

said plurality of elasticized pieces such that said pieces may overlap in said operative therapeutic configuration.

10. **(Original)** The garment system of Claim 1 wherein said operative therapeutic configuration addresses an objective selected from the group consisting of: improve body posture by postural retraining; improve balance control of the body; improve movement control of the body; assist in body neuromotor re-education; assist in skeletal modeling of the body; support an injured area of the body; promote movement of at least a part of the body for athletic performance enhancement; assist in maintaining muscle tone by applying elasticized resistance to movement of a part of the body when in an environment wherein an effect from a gravitational force is less than the gravitational effects experienced on Earth; assist in stabilizing a joint of the body; and assist in maintaining, in a positional relationship to the body, a topically-applied therapeutic device.

11. **(Previously presented)** The garment system of Claim 1 wherein:

said operative therapeutic configuration addresses an objective selected from the group consisting of: improve body posture by postural retraining; improve balance control of the body; improve movement control of the body; assist in body neuromotor re-education; assist in skeletal modeling of the body; support an injured area of the body; promote movement of at least a part of the body for athletic performance enhancement; assist in maintaining muscle tone by applying elasticized resistance to movement of a part of the body when in an environment wherein an effect from a gravitational force is less than the gravitational effects experienced on Earth; assist in stabilizing a joint of the body; and assist in maintaining, in a positional relationship to the body, a topically-applied therapeutic device; and

said objective is determined during a session with a medical skilled-service provider; said objective to improve body posture further comprises dynamic postural retraining; said objective to assist in maintaining muscle tone further comprises assist in maintaining bone density by applying elasticized joint compression; and said topically-applied therapeutic device comprises a device selected from the group consisting of a thermally regulated pack, a weighted pack for reducing osteoporosis, an anodyne laser therapy device, an anodyne light-emitting-diode therapy device, a structural splint of

plastically-moldable alloy, a vibrator device, an electrical stimulation unit, an acupressure point stimulator, and a Chakra point stimulator.

12. **(Currently amended)** A therapeutic garment system for use on a mammalian body, comprising:

elasticized wrap-around first and second unitary style garments for donning and releasably securing in a close-fitting fashion at generally different areas of the body;

each of said unitary style garments comprising an outwardly facing surface adapted for accepting an area of releasable fasteners, and an under-layer having an inwardly facing surface to resist slippage when donned;

~~a plurality of first and second~~ separate elasticized pieces, each of said separate pieces comprising at least one of said areas of releasable fasteners for application of said piece onto any of said outwardly facing surfaces; ~~[[and]]~~

said area of releasable fasteners of ~~at least a~~ said first ~~of said~~ elasticized piece~~[[s]]~~ releasably applied against said outwardly facing surface of each of said garments in an operative therapeutic configuration interconnecting said garments ; and

said second elasticized piece releasably applied against said outwardly facing surface of either said first garment, said second garment, or both said first and second garment .

13. **(Currently amended)** A garment system for use on a mammalian body, comprising:

elasticized wrap-around first and second garments for donning and releasably securing in a close-fitting fashion at generally different areas of the body;

each of said garments comprising an outwardly facing surface adapted for accepting an area of releasable fasteners, and an under-layer having an inwardly facing surface to resist slippage when donned;

~~a plurality of first and second~~ separate elasticized pieces, each of said separate pieces comprising at least one of said areas of releasable fasteners for application of said piece onto any of said outwardly facing surfaces;

said area of releasable fasteners of ~~at least a~~ said first ~~of said~~ elasticized piece~~[[s]]~~ releasably applied against said outwardly facing surface of each of said garments in an operative therapeutic configuration interconnecting said garment;

said second elasticized piece adapted to be releasably applied against said outwardly facing surface of either said first garment, said second garment, or both said first and second garment; and

wherein said elasticized second garment is selected from the group consisting of an elbow cuff, a forearm-area cuff, a wrist wrap, a hand sleeve wrap, an upper-leg cuff, a knee cuff, a shin-calf area cuff, an ankle wrap, a foot wrap, and a head cap; said elasticized wrap-around first garment is selected from the group consisting of an upper-torso garment, a lower-torso garment, and a full-torso garment; and said area of releasable fasteners of said first elasticized piece is comprised of a first and second region of releasable fasteners generally located at each of an end of said first elasticized piece for said application against said outwardly facing surfaces.

14. **(Currently amended)** A garment system for use on a mammalian body, comprising:
- elasticized wrap-around first and second garments for donning and releasably securing in a close-fitting fashion at generally different areas of the body;
  - each of said garments comprising an outwardly facing surface adapted for accepting an area of releasable fasteners, and an under-layer having an inwardly facing surface to resist slippage when donned;
  - ~~a plurality of~~ first and second separate elasticized pieces, each of said separate pieces comprising at least one of said areas of releasable fasteners for application of said piece onto any of said outwardly facing surfaces;
  - said area of releasable fasteners of ~~at least a~~ said first ~~of said~~ elasticized piece ~~[[s]]~~ releasably applied against said outwardly facing surface of each of said garments in an operative therapeutic configuration interconnecting said garment; ~~[[and]]~~
  - said second elasticized piece adapted to be releasably applied against said outwardly facing surface of either said first garment, said second garment, or both said first and second garment; and
  - each said first and second elasticized piece has a shape selected from the group consisting of a generally linear-elongated strap and an at least partially split-strap configuration having a first and second extension; and said configuration operatively interconnecting said garments addresses an objective selected from the group consisting of: improve body posture by postural retraining; improve balance control of the body; improve movement control of the body; assist in body neuromotor re-education; assist in



skeletal modeling of the body; support an injured area of the body; promote movement of at least a part of the body for athletic performance enhancement; assist in maintaining muscle tone by applying elasticized resistance to movement of a part of the body when in an environment wherein an effect from a gravitational force is less than the gravitational effects experienced on Earth; assist in stabilizing a joint of the body; and assist in maintaining, in a positional relationship to the body, a topically-applied therapeutic device.

15. **(Cancelled, herein)** A method for donning a therapeutic garment system on a mammalian body, comprising the steps of:

donning an elasticized garment comprising an under-layer having an inwardly facing surface to resist slippage while on the body, and releasably securing said garment in a close-fitting fashion around at least a portion of the body's torso;

donning a second elasticized garment, comprising an under-layer having an inwardly facing surface to resist slippage while on the body, and releasably securing said second garment in a close-fitting fashion around at least a second body portion other than said at least a portion of the body's torso; and

releasably applying against an outwardly facing surface of each of said garments, a plurality of elasticized pieces in an operative therapeutic configuration, said releasably applying comprises utilizing releasable fasteners with each said elasticized piece for said application thereof in said configuration.

16. **(Cancelled, herein)** The method of Claim 15 wherein said at least a portion of the body's torso comprises an upper-torso area, and said second body portion is selected from (a) a lower-torso, and (b) any portion of a limb of the body selected from the group consisting of an arm, a shoulder, a hand, a leg, a hip, a foot, and a head; and said step of donning said upper-torso garment further comprises releasably securing a front and back panel of said upper-torso garment at each of a shoulder area of said panels and at each of a right and left side of said panels; and further comprising, prior to said step of releasably securing said upper-torso garment, the step of sizing said garment by trimming along size-tailoring indicia extending, in proximity and offset, at least a portion of a perimeter of said upper-torso garment.

17. **(Cancelled, herein)** The method of Claim 15 wherein said operative therapeutic

configuration operatively interconnects said garments to address an objective selected from the group consisting of: improve body posture by postural retraining; improve balance control of the body; improve movement control of the body; assist in body neuromotor re-education; assist in skeletal modeling of the body; support an injured area of the body; promote movement of at least a part of the body for athletic performance enhancement; assist in maintaining muscle tone by applying elasticized resistance to movement of a part of the body when in an environment wherein an effect from a gravitational force is less than the gravitational effects experienced on Earth; assist in stabilizing a joint of the body; and assist in maintaining, in a positional relationship to the body, a topically-applied therapeutic device.

18. **(Cancelled, herein)** The method of Claim 17 wherein: said objective to improve body posture further comprises a dynamic postural retraining; said objective to assist in maintaining muscle tone further comprises assist in maintaining bone density by applying elasticized joint compression; said topically-applied therapeutic device is a device selected from the group consisting of a thermally regulated pack, a weighted pack for reducing osteoporosis, an anodyne laser therapy device, an anodyne light-emitting-diode therapy device, a structural splint of plastically-moldable alloy, a vibrator device, an electrical stimulation unit, an acupuncture point stimulator, and a Chakra point stimulator; and in the event said objective to assist in maintaining said topically-applied device is selected, said step of releasably applying said elasticized pieces further comprises utilizing said pieces to position said device atop said outwardly facing surfaces of at least one of said garments.

19. **(Cancelled, herein)** The method of Claim 15 wherein the mammalian body is that of a human.

20. **(Currently amended)** A garment system for use on a mammalian body, comprising:  
elasticized wrap-around first and second garments for donning and releasably securing in a close-fitting fashion at generally different areas of the body;  
each of said garments comprising an outwardly facing surface ~~[[at least]]~~ a substantial portion of which is adapted for accepting an area of releasable fasteners, and an under-layer having an inwardly facing surface to resist slippage when donned.

~~a plurality of first and second~~ separate elasticized pieces, each of said separate pieces comprising at least one of said areas of releasable fasteners for application of said piece onto ~~any~~ said portion of said outwardly facing surfaces;

wherein said area of releasable fasteners of ~~at least a said~~ first of said elasticized piece~~[[s]]~~ releasably applied against said portion of said outwardly facing surface of said first and second garment, interconnects said first elasticized piece with said first and second garments in an operative therapeutic configuration;

said second elasticized piece adapted to be releasably applied against said portion of said outwardly facing surface of either said first garment, said second garment, or both said first and second garment; and

the garment system operatively donned in said therapeutic configuration, such that: a partial overlap of said first and second garments results; and a partial overlap between ~~another of~~ said second elasticized piece~~[[s]]~~ and said first elasticized piece results.

21. **(Previously presented)** The garment system of Claim 1 wherein: said first garment is donned around an upper-torso of the body by pulling said first garment over and around said upper-torso; and said second garment is donned around said different area of the body by wrapping said second garment around a portion of a limb of the body selected from the group consisting of an arm, a shoulder, a hand, a leg, a hip, a foot, and a head.

22. **(Currently amended)** A garment system for use on a mammalian body, comprising:  
elasticized wrap-around first and second garments for donning and releasably securing in a close-fitting fashion at generally different areas of the body;

each of said garments comprising an outwardly facing surface ~~[[at least]]~~ a substantial portion of which is adapted for accepting an area of releasable fasteners, and an under-layer having an inwardly facing surface to resist slippage when donned;

~~a plurality of first and second~~ separate elasticized pieces, each of said separate pieces comprising at least one of said areas of releasable fasteners for application of said piece onto ~~any~~ said portion of said outwardly facing surfaces;

wherein said area of releasable fasteners of ~~at least a said~~ first of said elasticized piece~~[[s]]~~ releasably applied against said portion of said outwardly facing surface of said

first and second garment, interconnects said first elasticized piece with said first and second garments in an operative therapeutic configuration;

said second elasticized piece adapted to be releasably applied against said portion of said outwardly facing surface of either said first garment, said second garment, or both said first and second garment; and

wherein said first garment is an upper-torso garment and said second garment is a lower-torso garment, both of which are operatively donned in said therapeutic configuration such that no spacing effectively exists between a bottom perimeter of the upper-torso garment and an upper waistband perimeter of said lower-torso garment.

23. **(Currently amended)** A garment system for use on a mammalian body, comprising:

elasticized wrap-around first and second garments for donning and releasably securing in a close-fitting fashion at generally different areas of the body;

each of said garments comprising an outwardly facing surface ~~[[at-least]]~~ a substantial portion of which is adapted for accepting an area of releasable fasteners, and an under-layer having an inwardly facing surface to resist slippage when donned;

a plurality of separate elasticized pieces, each of said separate pieces comprising at least one of said areas of releasable fasteners for application of said piece onto ~~[[any]]~~ said portion of said outwardly facing surfaces;

wherein said area of releasable fasteners of at least a first of said elasticized pieces releasably applied against said portion of said outwardly facing surface of said first and second garment, interconnects said first elasticized piece with said first and second garments in an operative therapeutic configuration;

said first garment is an upper-torso garment and further comprises front and back panels integral at each of a shoulder area thereof and releasably secured at each of a right and left side of said panels using ~~at-least-one~~ a second and third of said plurality of elasticized pieces;

a size-tailoring indicia extends along, in offset proximity to, at least a portion of a perimeter of said front panel to aid in trimming material therefrom; and

said releasable fasteners are selected from the group consisting of: an area having tiny flexible hooks for engagement with mating loop fabric; an area comprising an array of snaps; an area comprising an array of D-rings; an area comprising an array of small buckles; and an area comprising an array of hook-and-eye enclosures.

24. **(Currently amended)** A garment system for use on a mammalian body, comprising:
- elasticized wrap-around first and second garments for donning and releasably securing in a close-fitting fashion at generally different areas of the body;
  - each of said garments comprising an outwardly facing surface ~~[[at-least]]~~ a substantial portion of which is adapted for accepting an area of releasable fasteners, and an under-layer having an inwardly facing surface to resist slippage when donned;
  - ~~a plurality of~~ first and second separate elasticized pieces, each of said separate pieces comprising at least one of said areas of releasable fasteners for application of said piece onto ~~[[any]]~~ said portion of said outwardly facing surfaces;
  - wherein said area of releasable fasteners of ~~at-least-a~~ said first of ~~said~~ elasticized piece~~[[s]]~~ releasably applied against said portion of said outwardly facing surface of said first and second garment, interconnects said first elasticized piece with said first and second garments in an operative therapeutic configuration;
  - said second elasticized piece adapted to be releasably applied against said portion of said outwardly facing surface of either said first garment, said second garment, or both said first and second garment; and
  - said outwardly facing surface of each said garments comprises a knitted fabric; said area of releasable fasteners each comprises an area having tiny flexible hooks for engagement with mating loop fabric; said under-layer comprises a foam lining; and each of said elasticized pieces comprises a foam-lined knitted fabric.
25. **(Currently amended)** A garment system for use on a mammalian body, comprising:
- elasticized wrap-around first and second garments for donning and releasably securing in a close-fitting fashion at generally different areas of the body;
  - each of said garments comprising an outwardly facing surface ~~[[at-least]]~~ a substantial portion of which is adapted for accepting an area of releasable fasteners, and an under-layer having an inwardly facing surface to resist slippage when donned;
  - ~~a plurality of~~ first and second separate elasticized pieces, each of said separate pieces comprising at least one of said areas of releasable fasteners for application of said piece onto ~~[[any]]~~ said portion of said outwardly facing surfaces;
  - wherein said area of releasable fasteners of ~~at-least-a~~ said first of ~~said~~ elasticized piece~~[[s]]~~ releasably applied against said portion of said outwardly facing surface of said

first and second garment, interconnects said first elasticized piece with said first and second garments in an operative therapeutic configuration;

said second elasticized piece adapted to be releasably applied against said portion of said outwardly facing surface of either said first garment, said second garment, or both said first and second garment; and

said second garment is a lower-torso garment comprising a waistband portion having a first and second end, said waistband portion interconnected with a thigh-wrap portion, said waistband ends adapted to be releasably secured in the body front; and said first of said elasticized piece comprises a foam-lined knitted fabric, an outer surface of which is adapted for accepting said area of releasable fasteners of another of said plurality of elasticized pieces.

26. **(Currently amended)** A garment system for use on a mammalian body, comprising:
- elasticized wrap-around first and second garments for donning and releasably securing in a close-fitting fashion at generally different areas of the body;
  - each of said garments comprising an outwardly facing surface at least a portion of which is adapted for accepting an area of releasable fasteners, and an under-layer having an inwardly facing surface to resist slippage when donned;
  - ~~a plurality of~~ first and second separate elasticized pieces, each of said separate pieces comprising at least one of said areas of releasable fasteners for application of said piece onto any said portion of said outwardly facing surfaces;
  - wherein said area of releasable fasteners of ~~at least a~~ said first ~~of said~~ elasticized piece[s]] releasably applied against said portion of said outwardly facing surface of said first and second garment, interconnects said first elasticized piece with said first and second garments in an operative therapeutic configuration;
  - said second elasticized piece adapted to be releasably applied against said portion of said outwardly facing surface of either said first garment, said second garment, or both said first and second garment; and
  - said portion adapted for accepting said area of releasable fasteners substantially covers the whole of said outwardly facing surface of said first and second garments; and said area of releasable fasteners of said first elasticized piece is comprised of a first and second region of releasable fasteners.

27. **(Currently amended)** A garment system for use on a mammalian body, comprising:
- elasticized wrap-around first and second garments for donning and releasably securing in a close-fitting fashion at generally different areas of the body;
  - each of said garments comprising an outwardly facing surface adapted for accepting an area of releasable fasteners, and an under-layer having an inwardly facing surface to resist slippage when donned;
  - ~~a plurality of~~ first and second separate elasticized pieces, each of said separate pieces comprising at least one of said areas of releasable fasteners for application of said piece onto any of said outwardly facing surfaces;
  - said area of releasable fasteners of ~~at least a said first of said~~ said first of said elasticized piece[[s]] releasably applied against said outwardly facing surface of each of said garments in an operative therapeutic configuration interconnecting said garment;
  - said second elasticized piece adapted to be releasably applied against said portion of said outwardly facing surface of either said first garment, said second garment, or both said first and second garment; and
  - the garment system operatively donned in said therapeutic configuration wherein: said area of releasable fasteners of said first elasticized piece is comprised of a first and second region of releasable fasteners; said first region releasably applied against said outwardly facing surface of said first garment and said second region releasably applied against said outwardly facing surface of said second garment.
28. **(Previously presented)** The garment system of Claim 13 wherein: said first garment comprises said lower-torso garment and is donned around a lower-torso of the body by pulling over and around said lower-torso; and said second garment is donned by pulling said second garment around a portion of a limb of the body selected from the group consisting of a hand, a leg, a hip, a foot, and a head.